

JumboNest® SN RPC



Next generation RPC



Schoeller Allibert






JumboNest® - Next generation RPC

© Schoeller Allibert –All rights reserved. All information confidential. Copying of this document, giving it to others and the use or communication is forbidden without expressive authority. Offenders are liable to the payment of damages. All rights are reserved for presented ideas and innovations and in the event of the grant of a patent or the registration of a utility model or design.

Impact Feature

Unique impact feature prevents damaging of the container when tipping it over



Large Capacity

Up to 520 L internal capacity

Snap-In RFID

Secure and easy fitment of RFID tags



Bespoke Material

Container made of speciality HDPE for optimum performance under chilled conditions

Sticker area

Easy removal of stickers through special surface

Comfortable manual handling

Rounded handgrips ensure comfortable handling


Stacking up to 3 high

Up to 3 can be stacked, fitting up to 78 containers in a truck



Reinforced base

Capable of handling up to 600 kgs of meat



Skids optional

Container can be supplied with or without skids

Easy drainage

Large drainage holes to easily get rid of liquids and contaminants

Cost-Efficient returns

Nesting up to 10 containers in a stack, achieving a nesting ratio of 73%



Schoeller Allibert



Technical features

© Schoeller Allibert –All rights reserved. All information confidential. Copying of this document, giving it to others and the use or communication is forbidden without expressive authority. Offenders are liable to the payment of damages. All rights are reserved for presented ideas and innovations and in the event of the grant of a patent or the registration of a utility model or design.




Stacking up to 6 high

3200 kg stacking load
600kg per box
Volume : 520 L



According to EN 13 626



Bumper feature

Absorbs shocks when unloading stacks




Solid

2 base configurations :
2 runners & 8 feet



Handles on all 4 sides



Temperature range
-7°C up to +40°C
Research pending -20°C

100% food grade HDPE

Food safe & High residual value



Schoeller Allibert



Benefits



Smooth & hygienic design

easy cleaning process



RFiD Slots on 2 long sides

provide improved traceability



180° Stack & Nestable

Up to 10 per stack

Drainage holes top rim

flush out food chunks easily


No bacteria proliferation



Convex base

allowing 600 kg per box &

better load distribution



Placard & label zone

no adhesive traces on box





Benefits



520 L capacity

by far the largest of its kind



Conical shape

improves cold air flow between stacks
fresh produce cools down faster, and requires less energy




Up to 260 units per FTL

Improving vehicle fill by 250%

Less storage space

New regulations require food industry to store empties sheltered inside/outside



Empty crates & delivery in 1 truck

Freight forwarder can mix filled & empty boxes while supplying customers






Visible Aid Stack/Nest



Stack



Nest




Fork tine height stacked : 89 mm








Optional : 4 castors

Easy handling
2 fixed & 2 swivel castors



Still 100% nestable!



Bolts : K80x20 mm or 25 mm





JumboNest® range



8282.100 - 520 L – Solid 8 feet	
Ext. (mm)	1200 x 1000 x 780
Weight (Kg)	41,9
Nested height (mm)	202,5
Unit load (Kg)	600
Stack load (Kg)	3200



8282.200 - 520 L – Solid 2 skids, 2 feet	
Ext. (mm)	1200 x 1000 x 780
Weight (Kg)	42,7
Nested height (mm)	202,5
Unit load (Kg)	600
Stack load (Kg)	3200

